



Screen Deductions For Breezway® Innoscreen® Altair® Louvre Window Systems With Equally Sized Bays – No Allowances For Foam Pads Or Springs

Breezway Technical Bulletin

16 March 2017

Page 1 of 1

The Breezway Innoscreen Altair Louvre Window System has been designed for easy fitting of 11mm deep security or insect screens to the interior of the window. Channels are situated on the jambs and mullions to hold screens in place and a leg is provided on the head and sill to brace the screen.

For multi-bay windows a single screen will be required for each bay of the window. **The deductions given below for multi-bay windows are based on the assumption that all bays are of equal size.**

The deductions given below do not allow for foam pads or springs to be used. If foam pads or springs are to be used to hold the screens in a horizontally centred position then width deductions should be increased by the fully compressed thickness of the foam pads or springs.

Breezway Innoscreen Altair Louvre Window System Screen Deductions Equally Sized Bays, No Allowances For Foam Pads Or Springs

Window Configuraton	Screen Height	Screen Width
1 Bay Window	Window Frame Height – 62mm	Overall Window Frame Width – 84mm
2 Bay Window	Window Frame Height – 62mm	(Overall Window Frame Width – 143mm)/2
3 Bay Window	Window Frame Height – 62mm	(Overall Window Frame Width – 202mm)/3
4 Bay Window	Window Frame Height – 62mm	(Overall Window Frame Width – 261mm)/4
5 Bay Window	Window Frame Height – 62mm	(Overall Window Frame Width – 320mm)/5
6 Bay Window	Window Frame Height – 62mm	(Overall Window Frame Width – 379mm)/6